

## A LIST OF THE FISHES OF TASMANIA.

BY CLIVE LORD, F.L.S.,  
Director of the Tasmanian Museum.

(Read 9th September, 1922.)

The necessity for a revised list of the fishes of Tasmania has long been apparent. Owing to the recent publication of "A Check List of the Fishes and Fish-like Animals of New South Wales" by Mr. Allan R. McCulloch, of the Australian Museum, and a "Catalogue of the Fishes of South Australia," by Mr. Edgar R. Waite, F.L.S., Director of the South Australian Museum, the present compilation has been considerably simplified, as the fishes of our Island State have much in common with those of South-East Australian seas.

The present list is merely an outline, and is offered as a basis for future work in the hope that a detailed checklist may be prepared in the near future. There are doubtless many species which have not been recorded from our waters, owing to the fact that so little detailed investigation work has been carried out. Since the publication of the late R. M. Johnston's lists in the Papers and Proceedings of the Royal Society of Tasmania of 1882 and 1890 our knowledge of the marine fauna of Tasmania has been considerably advanced. The work carried out by the Federal Trawler *Endeavour* was of great benefit, and it is to be deeply regretted that the vessel and those who were on board during the fatal voyage to Macquarie Island came to such an untimely end.

In regard to the previous lists of Tasmanian fish it may be noted that later investigation has shown that several species described as new by Johnston and other authorities have merged into the synonymy of previously described species, but it is not possible within the limits of the present paper to record the details of such cases.

Apart from necessary collecting work and the examination of a large number of museum specimens, the work of previous investigators has greatly assisted in the compilation of the present list, and in addition the published results of the *Endeavour's* investigations have been availed of. The compiler also desires to express his special thanks to Mr. Allan R. McCulloch, of the Australian

Museum, as it is largely due to his kindly personal assistance that the compilation of the present list has been made possible.

### Subphylum CEPHALOCHORDATA.

#### Family BRANCHIOSTOMIDÆ.

*Epigonichthys bassanus*, Gunther.—The Lancelet.

#### Subphylum CRANIATA.

### Class CYCLOSTOMATA.

#### Family MORDACIIDÆ.

*Mordacia mordax*, Rich.—Short-headed Lamprey.

*Geotria australis*, Gray.—Pouched Lamprey.

### Class ELASMOBRANCHI.

#### Order SELACHII.—Sharks.

##### Family HEXANCHIDÆ.

*Notorhynchus pectorosus*, Garman.—Seven-gilled Shark.

*Heptranchias perlo*, Bonn.—One-finned Shark.

##### Family HETERODONTIDÆ.

*Heterodontus philippi*, B. & S.—Bull-headed Shark  
(Port Jackson Shark).

*Gyropleurodon galeatus*, Gunther.—Crested-headed  
Shark. (Crested Port Jackson Shark.)

##### Family CARCHARHINIDÆ.

*Prionace glauca*, Linn.—Blue Shark.

*Galcorinus australis*, Macleay.—School Shark.

##### Family MUSTELIDÆ.

*Mustelus antarcticus*, Gunther.—Gummy Shark.

##### Family SPHYRNIDÆ.

*Sphyraena zygaena*, Linn.—Hammer-headed Shark.

##### Family ORECTOLOBIDÆ.

*Orectolobus maculatus*, Bonn.—Wobbegong.

*Parascyllium collare*, Rams. and Ogl.—Collared Cat  
Shark.

*Parascyllium variolatum*, Dum.—Varied Cat Shark.

##### Family SCYLIORHINIDÆ.

*Haploblepharus analis*, Ogilby.—Spotted Cat Shark.

*Cephaloscyllium isabella*, Dumeril.—Swell Shark.

##### Family ALOPHIDÆ.

*Alopias vulpinus*, Bonn.—Thresher Shark.

## Family CARCHARIIDÆ.

*Carcharius arenarius*, Ogilby.—Long-toothed Shark.

## Family ISURIDÆ.

*Isurus glaucus*, M. & H.—Blue Pointer.

## Family SQUALIDÆ.

*Squalus megalops*, Macleay.—Piked Dog Fish*Squalus fernandinus*, Molina.—Spotted Dog Fish.*Oxynotus brunneus*, Ogilby.—Prickly Dog Fish.

## Family PRISTIOPHORIDÆ.

*Pristiophorus cirratus*, Latham.—Saw Shark.*Pristiophorus nudipinnis*, Gunther.—Saw Shark.

## Family SQUATINIDÆ.

*Squatina australis*, Regan.—Angel Shark.

## Order BATOIDEI.—Rays.

## Family RHINOBATIDÆ.

*Trygonorrhina fasciata*, M. & H.—Fiddler.

## Family NARCOATIDÆ.

*Narcine tasmaniensis*, Rich.—Tasmanian Numbfish.

## Family RAJIDÆ.

*Raja nitida*, Gunther.—Rough-backed Skate.*Raja lemprieri*, Rich.—Thorn-back Skate.

## Family DASYATIDÆ.

*Dasyatis brevicaudatus*, Hutton.—Short-tailed Stingaree.*Urolophus cruciatus*, Lacep.—Banded Stingaree.*Urolophus viridis*, McCulloch.—Green-backed Stingaree.*Urolophus bucculentus*, Macleay.—Sandy-backed Stingaree.

## Family MYLIOBATIDÆ.

*Myliobatis australis*, Macleay.—Eagle or Whiptail Ray.

## Order HOLOCEPHALI.—Ghost Sharks, Etc.

## Family CHIMÆRIDÆ.

*Chimara ogilbyi*, Waite.—Ghost Shark.

## Family CALORHYNCHIDÆ.

*Callorhynchus millii*, Bory.—The Elephant Fish.

## Class PICES.

## Sub-Class Teleostii.—Bony Fishes.

## Order ISOSPONDYLI.—Herrings and Trout-like Fish.

## Family ENGRAULIDÆ.

*Engraulis australis*, Shaw.—Australian Anchovy.

## Family CLUPEIDÆ.

*Clupea bassensis*, McCull.—Australian Sprat.

*Stolephorus robustus*, Ogilby.—Blue Sprat.

*Sardinia neopilchardus*, Steidachner.—Australian Pilchard.

## Family GONORHYNCHIDÆ.

*Gonorhynchus greyi*, Rich.—Beaked Salmon.

## Family GALAXIIDÆ.

*Galaxias attenuatus*, Jenys.—Jollytail.

*Galaxias weedoni*, Johnston.—The Mersey Jollytail.

*Galaxias truttaceus*, Cuv. and Val.—Spotted Mountain Trout.

*Galaxias auratus*, Johnston.—Lake Trout.

## Family SALMONIDÆ.

Introduced species of *Salmonidæ*.

*Salmo salar*, Linn.—Salmon.

*Salmo fario*, Linn.—Brown Trout.

*Salmo irideus*, Gibbons.—Rainbow Trout.

*Salmo lepenensis*.—Loch Leven Trout.

*Salmo trutta*.—Salmon Trout.

*Salmo frontalis*.—American Brook Trout.

*Salmo sebago*.—Sebago Salmon.

*Onchorhynchus nerka*.—Seck-eyed Salmon.

*Onchorhynchus quinnat*.—Quinnat Salmon.

## Family ARGENTINIDÆ.

*Argentina elongata*, Hutton.—Siel Smelt.

## Family APLOCHITONIDÆ.

*Prototroctes maræna*, Gunther.—Australian Grayling (“Cucumber Herring”).

*Lovettia scalii*, Johnston.

## Family RETROPINNIDÆ.

*Retropinna tasmanica*, McCulloch.—Tasmanian Smelt (“Whitebait”).

Order INIOMI.—Cucumber Fish, Etc.

## Family SUDIDÆ.

*Chlorophthalmus nigripinnis*, Gunther.—Cucumber Fish.

## Family ALEPISAURIDÆ.

*Alepisaurus ferox*, Lowe.—Lance Fish.

Order OSTARIOPHYSI (Introduced).

## Family CYPRINIDÆ.

*Carassius carassius*, Linn.—European Carp. (Intro.)

*Carassius auratus*, Linn.—Gold Fish. (Intro.)

*Tinca tinca*, Linn.—English Tench. (Intro.)

## Order SYMBRANCHII.—Pigmy Eels.

## Family CHEILOBRANCHIDÆ.

*Cheilobranchus rufus*, Macleay.—Red-banded Shore Eel.

*Cheilobranchus dorsalis*, Rich.—Striped Brown Eel.

## Order APODES.—Eels.

## Family ANGUILLIDÆ.

*Anguilla australis*, Rich.—Short-finned Eel.

*Anguilla reinhardtii*, Stdr.—Long-finned Eel.

## Family LEPTOCEPHALIDÆ.

*Leptocephalus conger*, Linn.—Common Conger Eel.

*Leptocephalus wilsoni*, Castel.—Conger Eel.

*Congermurana habenata*, Rich.—Little Conger Eel (Silver Eel of Tasmania).

## Family ECHELIDÆ.

*Muraenichthys tasmaniensis*, McCull.—Tasmanian Worm Eel.

*Muraenichthys breviceps*, Gunther.—Short-headed Eel.

## Family OPHICHTHYIDÆ.

*Ophisurus serpens*, Linn.—Snake Eel.

## Order SOLENICHTHYES.—Bellows Fish, Pipe Fish, Etc.

## Family MACRORHAMPHOSIDÆ.

*Macrorhamphosus elevatus*, Waite.—Bellows Fish.

*Centriscops humerosus*, Rich.—Bellows Fish.

*Notopogon lilliei*, Regan.—Bellows Fish.

## Family LAMPTRIDIDÆ.

*Lampris luna*.—Opah.

## Family SYNGNATHIDÆ.

*Corythoichthys phillipi*, Lucas.—Pipe Fish.

*Urocampus carinirostris*, Castelnau.—Pipe Fish.

*Stigmatopora argus*, Rich.—Pipe Fish.

*Stigmatopora nigra*, Kaup.—Pipe Fish.

*Leptonotus semistriatus*, Kaup.—Pipe Fish.

*Solegnathus spinosissimus*, Gunther.—Pipe Fish.

*Solegnathus fasciatus*, Gunther.—Sea Horse.

*Histiogamphelus beauforti*, McCulloch.

*Phyllopteryx foliatus*, Shaw.—Leafy Sea Horse.

*Hippocampus abdominalis*, Lesson.—Sea Horse.

*Hippocampus breviceps*, Peters.—Sea Horse.

## Order HYPOSTOMIDES.—Dragon Fish.

## Family PEGASIDÆ.

*Acanthopegasus lancifer*, Kaup.—Dragon Fish.

## Order SYNENTOGNATHI.—Garfish, Etc.

## Family HEMIRHAMPHIDÆ.

*Hemirhamphus intermedius*, Cantor.—Sea Garfish.

## Order ANACANTHINI.—Cods and Whiptails.

## Family GADIDÆ.

*Lotella callarias*, Gunther.—Kelp Rock Cod.

*Physiculus barbatus*, Gunther.—Common Rock Cod.

*Physiculus bachus*, Forster.—Red Rock Cod.

## Family CORYPHLENOIDIDÆ.

*Cælorhynchus australis*, Rich.—Grenadier or Whiptail.

*Macruronus novæ-zelandiæ*, Hector.—Whiptail.

*Optonurus denticulatus*, Rich.—Deep Sea Whiptail.

## Order BERYCOMORPHI.—Nannygai, Etc.

## Family TRACHICHTHYIDÆ.

*Trachichthodes affinis*, Gunther.—Nannygai.

*Trachichthys australis*, Shaw.

*Paratrachichthys trailli*, Hutton.—Sandpaper Fish.

## Family ZEIDÆ.

*Zeus faber*, Linn.—John Dory.

*Zenopsis nebulosus*, Schleg.—Mirror Dory.

*Cyttus novæ-zelandiæ*, Arthur.—Silver Dory.

*Cyttus australis*, Rich.—Silver Dory.

## Order ALLOTRIOGNATHI.—Ribbon Fish.

## Family REGALECIDÆ.

*Regalecus glesne*, Ascanius.—The Oar Fish.

## Family TRACHYPTENDÆ.

*Trachypterus altivelis*, Kner.—Ribbon Fish.

## Family LOPHOTIDÆ.

*Lophotes guntheri*, Johnston.

## Order HETEROSOMATA.—Flounders, Etc.

## Family BOTRIDÆ.

*Pseudorhombus multimaculatus*, Gunther.—Small-toothed Flounder.

*Pseudorhombus tenuirastrum*, Waite.—Deep-water Flounder.

*Lophonectes gallus*, Gunther.—Crested Flounder.

## Family PLEURONECTIDÆ.

- Ammotretis rostratus*, Gunther.—Long-snouted Flounder ("Sole" of Tasmania).  
*Ammotretis tudori*, McCulloch.—Flounder.  
*Ammotretis macrolepis*, McCulloch.—Flounder.  
*Rhombosolea flesoides*, Gunther.—Southern Flounder.  
*Rhombosolea tapirina*, Gunther.—Flounder.

## Family CYNOGLOSSIDÆ.

- Paraplagusia unicolor*.\*—Tongue or Lemon Sole.

## Order PERCOMORPHI.

## Sub-Order MUGILOIDEA.

## Family MUGILIDÆ.

- Mugil cephalus*, Linn.—Sea Mullet.  
*Myxus elongatus*, Gunther.—Sand Mullet (Tallegal-lane of New South Wales).  
*Agonostomus fosteri*, Cuv. & Val.—Yellow-eyed Mullet.

## Family AETHERINIDÆ.

- Atherina microstoma*, Gunther.—Silver Fish.  
*Atherina dannevigi*, McCulloch.—Silver Fish.  
*Atherina presbyteroides*, Rich.—Silver Fish.  
*Atherina hepsetoides*, Rich.—Silver Fish.  
*Atherina hepsetus*, Linn.—Silver Fish.  
*Atherina tamarensis*, Johnston.—Silver Fish.  
*Atherina jacksoniana*, Quoy & Gaim.—Silver Fish.

## Family SPHYRÆNIDÆ.

- Sphyraena norw-hollandiæ*, Gunther.—Short-finned Sea Pike.

## Sub-Order STROMATEOIDEA.

## Family STROMATEIDÆ.

- Seriola brama*, Gunther.—Snotgall Trevally.  
*Seriola punctata*, Forster.—Spotted Trevally.  
*Seriola doubla*, Gunther.—Mackerel Trevally.  
*Hyperoglyphe johnstoni*, Morton.

## Sub-Order PERCOIDEA.

## Family PERCIDÆ.

- Perca fluviatilis*, Rondel.—English River Perch (Intro.).

\* Recorded by Mr. H. H. Scott, from North-East Coast of Tasmania.

## Family SERRANIDÆ.

*Polyprion oxygeneios*, Bloch and Schneider.—Hapuku (of New Zealand).

*Callanthias allporti*, Gunther.—Allport's Perch.

*Cæsiopercæ lepidoptera*, Forster.—Red Perch.

*Cæsiopercæ rasoř*, Rich.—Red Perch or Tasmanian Barber.

*Perecalates colonorum*, Gunther.—Brackish-water Perch.

*Nannoperea tasmaniæ*, Johnston.—Fresh-water Perch.

## Family PLESIOPIDÆ.

*Trachinops caudomaculatus*, McCoy.—Blotched-tailed Trachinops.

## Family APOGONIDÆ.

*Apogon fasciatus*, Shaw.—Soldier Fish (of New South Wales).

*Apogon novæ-hollandiæ*, Val.

*Apogon lemprieri*, Johnston.

*Dinolestes lewini*, Giff.—Long-finned Sea Pike.

## Family OPLEGNATHIDÆ.

*Oplegnathus conwayi*, Rich.

## Family SILLAGINIDÆ.

*Sillago punctatus*, Cuv. and Val.—Spotted Whiting.

*Sillago maculata*, Quoy and Gaim.—Trumpeter Whiting.

*Sillago bassensis*, Cuv. and Val.—School Whiting.

## Family POMATOMIDÆ.

*Pomatomus saltatrix*, Linn.—Tailor or Skipjack.

## Family CARANGIDÆ.

*Trachurus declivis*, Jenys.—Yellow Tail.

*Trachurus novæ-zelandiæ*, Rich.—Horse Mackerel of Tasmania and New Zealand (Cowanyoung of New South Wales).

*Caranx georgianus*, Cuv. and Val.—Silver Trevally.

*Naucrates ductor*, Linn.—Pilot Fish.

*Seriola grandis*, Castel.—Tasmanian Yellow Tail (Kingfish of New South Wales).

## Family ARRIPIDÆ.

*Arripis trutta*, B. and S.—Australian Salmon (Native Salmon).

## Family ERYTHRICHTHYIDÆ.

*Emmelichthys nitidus*, Rich.—Pearl Fish.

## Family SCIENIDÆ.

*Sciæna antarctica*, Castelnau.—Jew Fish (of New South Wales), Dew Fish (of Queensland), King Fish (of Victoria and West Australia), Butter Fish (of South Australia).

## Family MULLIDÆ.

*Upeneichthys porosus*, Cuv. and Val.—Blue-striped Red Mullet.

## Family SPARIDÆ.

*Pugrosomus auratus*, B. and S.—Snapper.

*Sparus australis*, Gunther.—Silver Bream of Tasmania (Black Bream of New South Wales).

## Family GIRELLIDÆ.

*Girella tricuspidata*, Q. and G.—Black Bream, Tasmania.

## Family PEMPHERIDÆ.

*Liopempheris multiradiata*, Klun.—Big-scaled Bull Eye.

*Parapriacanthus elongatus*, McCulloch.—Elongated Bull Eye.

## Family SCORPIDIDÆ.

*Scorpis georgianus*, Cuv. and Val.

## Family ENOPLOSSIDÆ.

*Enoplosus armatus*, Shaw.—“Old Wife” or Zebra Fish.

## Family HISTIOPTERIDÆ.

*Paristiopterus labiosus*, Gunther.—Giant Boar Fish.

*Zanclistiusr elevatus*, Rams and Og.—Short Boar Fish.

*Pentaceropsis recurvirostris*, Rich.—Long-snouted Boar Fish.

## Family APLODACTYLIDÆ.

*Dactylosargus arctidens*, Rich.—Marbled Kelp Fish.

## Family CHIRONEMIDÆ.

*Chironemus marmoratus*, Gunther.—Large Kelp Fish.

## Family CHEILODACTYLIDÆ.

*Dactylopagrus macropterus*, B. and S.—Black and Silver Perch. (Jackass Fish of New South Wales and South Australia.)

*Dactylopagrus morwong*, R. and O.—Morwong (Great Perch of Tasmania).

*Dactylophora nigricans*, Rich.—Dusky Morwong (Butter Perch).

*Goniistius vittorarius*, Kent.—Magpie Perch.

*Cheilodactylus spectabilis*, Hutton.—Carp of Tasmania.

## Family LATRIDIDÆ.

*Latris lineata*, B. and S.—Real Trumpeter (“Stripey”).

*Latridopsis fosteri*, Castelnau.—Bastard Trumpeter.

*Latridopsis ciliaris*, Forster.—Bastard Trumpeter.

*Mendosoma allporti*, Johnston.—Real Bastard Trumpeter.

## Family POMACENTRIDÆ.

*Glypheidodon victoriae*, Gunther.—Rock Perch, “Scaly Fin.”

## Family LABIDÆ.

*Pseudolabrus tetricus*, Rich.—Lilac-banded Parrot Fish.

*Pseudolabrus psittacus*, Rich.—Parrot Fish.

*Pseudolabrus eelidotus*, Richardson.—Parrot Fish.

*Pseudolabrus fueicola*, Rich.—Purple Parrot Fish.

*Pictilabrus latilavius*, Rich.—Green-banded Parrot Fish.

*Achoerodus gouldii*, Rich.—Blue Groper.

*Verreaux oxycephalus*, Bleeker.—Pig Fish.

## Family NEODACIDÆ.

*Neoodax semifasciatus*, Cuv. and Val.—Rock Whiting (Stranger).

*Neoodax balteatus*, Cuv. and Val.—(“Ground Mullet”) Little Rock Whiting.

*Neoodax beddomei*, Johnston.

*Olisthops cyanomelas*, Rich.—Herring Cale

## Family GADOPSIDÆ.

*Gadopsis marmoratus*, Rich.—River Blackfish.

## Family PINGUIPEDIDÆ.

*Parapercis allporti*, Gunther.

## Family URANOSCOPIDÆ.

*Kathetostoma lare*, Bl.—Catfish (Stone-lifter).

## Family BOVICHTIDÆ.

*Pseudaphritis urvilli*, Castel.—Fresh-water Flathead or Sandy.

*Bovichtus variegatus*, Cuv. and Val.

## Family CALLIONYMIIDÆ.

*Cullionymus papilio*, Gunther.

## Family SCOMBROIDÆ.

- Scomber australasicus*, Cuv. and Val.—Mackerel.  
*Gasterochisma melampus*, Rich.—Butterfly Fish.  
*Auxis thazard*, Lacep.—Frigate Mackerel.  
*Thunnus maccoyii*, Castel.—Southern Tunny.  
*Sarda chiliensis*, Cuv. and Val.—Horse Mackerel (of New South Wales).

## Family ISTIOPHORIDÆ.

- Tetrapurus indicus*, Cuv. and Val.—Sword Fish.

## Family TRICHIURIDÆ.

- Lepidotus caudatus*, Euph.—Frost Fish.

## Family GEMPYLLIDÆ.

- Jordanidia solandri*, Synder.—King Barracouta.  
*Thyrsites atun*, Euph.—Barracouta.

## Family GOBIIDÆ.

- Gobius tamarensis*, Johnston.—Tamar Goby.  
*Gobius lateralis*, Macleay.  
*Gobius hinsbyi*, Johnston.

## Family BLENNIIDÆ.

- Blennius tasmanianus*, Rich.—Blenny or Bully.  
*Clinus perspicillatus*, Cuv. and Val.  
*Clinus johnstoni*, Saville Kent.  
*Cristiceps australis*, Cuv. and Val.  
*Cristiceps fosteri*, Castel.  
*Gillias clarkei*, Morton.

## Sub-Order OPHIDIOIDEA.

## Family OPHIDIIDÆ.

- Genypterus blacodes*, B. and S.—Ling.

## Order DISCOCEPHALI.—Sucker Fish.

## Family ECHENEIDIDÆ.

- Echeneis naucrates*, Linn.—Slender Sucker Fish.  
*Remora remora*, Linn.—Short Sucker Fish.

## Order SCLEROPAREI.

## Family SCORPÆNIIDÆ.

- Scorpaena cruentata*, Rich.—Gurnet. (Red Rock Cod of New South Wales and South Australia.)  
*Scorpaena cardinalis*, Rich.—Gurnet.  
*Helicolenus percoides*, Rich.—Rock Gurnet.  
*Neobastes thetidis*, Waite.—Rough Gurnet Perch.  
*Neoscbastes panda*, Rich.—Gurnet.  
*Glyptauchen panduratus*, Rich.—Goblin Fish.

*Centropogon australis*, Gunther.—Fortesque of New South Wales.

*Pentaroge marmorata*, Cuv. and Val.—Soldier of Tasmania.

Family PATÆCIDÆ.

*Gnathanacanthus goetzi*, Bleeker.—Velvet Fish.

*Patæcus maculatus*, Gunther.

Family TRIGLIDÆ.

*Lepidotrigla vanessa*, Rich.—Butterfly Gurnard.

*Chelidonichthys kumu*, Lesson and Garnot.—Kumu Gurnard.

*Pterygotrigla polyommata*, Rich.—Sharp-beaked Gurnard.

Family HOPLICHTHYIDÆ.

*Hoplichthys haswelli*, McCulloch.—Spiny Flathead.

Family PLATYCEPHALIDÆ.

*Platycephalus fuscus*, Cuv. and Val.—Dusky Flathead.

*Platycephalus bassensis*, Cuv. and Val.—Common Tasmanian Flathead.

*Platycephalus lavigatus*, C. and V.—Smooth Flathead.

Order XENOPTERI.

Family GOBIESOCIDÆ.

*Diplocrepis cardinalis*, Ramsay.

*Aspasmogaster tasmaniensis*, Gunther.

Order PEDICULATI.

Family BATRACHOIDIDÆ.

*Pseudobatrachus dubius*, Shaw.—Frog Fish.

Family ANTENNARIIDÆ.

*Histrio histrio*, Linn.—Marbled Angler.

*Trichophryne mitchelli*, Morton.—Prickly Angler.

Family BRACHIONICHTHYIDÆ.

*Brachionichthys hirsutus*, Lacep.—Hand Fish.

*Brachionichthys politus*, Rieh.—Red Hand Fish.

Family OGCOCEPHALIDÆ.

*Halicutra brevicauda*, Ogilby.

Order PLETOGNATHI.

Family MONACANTHIDÆ.

*Cantherines hippocrepis*, Q. and Gaim.—Variable Leather Jacket.

- Cantherines guntheri*, Macleay.—Tooth-brush Leather Jacket.
- Cantherines spilomelanurus*, Q. and G.—Golden-eyed Leather Jacket.
- Cantherines maculosus*, Rich.—Small Brown Leather Jacket.
- Cantherines mosaicus*, Rams. and Ogl.—Mosaic Leather Jacket.
- Cantherines melas*, Gunther.—Black Leather Jacket.
- Cantherines gunni*, Gunther.—Dark Brown Leather Jacket.
- Cantherines convexirostris*, Gunth.—Grey Leather Jacket.
- Cantherines rufis*, Rich.—White-banded Leather Jacket.
- Cantherines peronii*, Hollard.—Pale Brown Leather Jacket.
- Brachaluteres trossulus*, Richardson.—Pigmy Leather Jacket.

#### Family OSTRACIIDÆ.

*Aracana aurita*, Shaw.—Trunk Fish.

*Aracana ornata*, Gray.—Yellow-striped Trunk Fish.

#### Family TETRAODONTIDÆ.

*Spheroïdes hamiltoni*, Rich.—Toad Fish.

*Spheroïdes richei*, Frem.—Globe Fish.

#### Family DIODONTIDÆ.

*Allomycterus jaculiferus*, Cuvier.—Porcupine Fish.

*Atopomycterus nycthemerus*, Cuv.—Slender-spined Porcupine Fish.

#### Family MOLIIDÆ.

*Mola mola*, Linn.—Sun Fish.

#### CHIEF REFERENCES.

- 1858-1870 Gunther, B.M. Cat. Fishes, Vols. I-VIII.
- 1872 Hutton, Fishes of New Zealand.
- 1872 Castelnau, P.Z.A.S. Victoria, Vol. I.
- 1880 Macleay, P.L.S. N.S.W., V.
- 1881 Macleay, P.L.S. N.S.W., VI.
- 1883 Johnston, P. and P. Roy. Soc. Tas., 1883.
- 1884 Macleay, P.L.S. N.S.W., IX.

- 1891 Johnston, P. and P. Roy. Soc. Tas., 1891.
- 1895 Boulenger, B.M. Cat. Fish, Vol. I.
- 1907 Waite, E. R., Rec. Canterbury Museum.
- 1911-1916 McCulloch, A. R., "Endeavour Scientific Results."
- 1916 Roughley, T. C., Fishes of Australia and their Technology.
- 1919 McCulloch, A. R., Australian Zoologist, Vol. I., Pt. 7.
- 1921 Waite, E. R., Records S.A. Museum, Vol. II., No. I.
- 1921 McCulloch, A. R., Aust. Zoologist.
- 1922 McCulloch, A. R., Aust. Zoologist, Vol. II., p. III., p. 86-130.
- 1922 McCulloch, A. R., "The Fishes of New South Wales," Australian Zoological Handbook, No. 1.